Subscribe (Full Service)   Register (Limited Service, Free)   Login

Search: ◉ The ACM Digital Library   ○ The Guide

| +((((heap +or +node* +or +cluster*) +<sentence> +(allocat | **SEARCH** |

Nothing Found

Your search for **+((((heap +or +node* +or +cluster*) +<sentence> +(allocation +or +allocated +or +allocating +or +allocate +or +deallocated +or +deallocation +or +deallocating +or +deallocatable))) +and +((evicted +or +eviction +or +evicting +or +eject* +or +reject* +or +eliminat*) +<near/6> +cache)) +and +((garbag* +collection) +<nar/8> +(size +or +sizing +or +sizes +or +amount) +<near/4> +(increas* +or +decreas*)** did not return any results.

You may want to try an Advanced Search for additional options.

Please review the Quick Tips below or for more information see the Search Tips.

Quick Tips

- Enter your search terms in lower case with a space between the terms.

    ```
    sales offices
    ```

    You can also enter a full question or concept in plain language.

    ```
    Where are the sales offices?
    ```

- Capitalize proper nouns to search for specific people, places, or products.

    ```
    John Colter, Netscape Navigator
    ```

- Enclose a phrase in double quotes to search for that exact phrase.

    ```
    "museum of natural history" "museum of modern art"
    ```

- Narrow your searches by using a + if a search term must appear on a page.

    ```
    museum +art
    ```

- Exclude pages by using a - if a search term must not appear on a page.

    ```
    museum -Paris
    ```

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

```
museum +"natural history" dinosaur -Chicago
```

IEEE Xplore ©
RELEASE 2.1

Welcome United States Patent and Trademark Office

☐ Search Session History

BROWSE   SEARCH   IEEE XPLORE GUIDE

Mon, 5 Feb 2007, 1:01:46 PM EST

Edit an existing query or compose a
new query in the Search Query
Display.

Search Query Display

Select a search number (#) to:

- Add a query to the Search Query
  Display
- Combine search queries using
  AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

#1   (((heap* or node* or cluster*) and (increas* or decreas*))<in>metadata)

#2   ((prgrammable or programmed or programed) and (coded cache)<IN>metadata)

#3   (cache and (evict* or reject* or eliminat*)<IN>metadata)

#4   (cache and (evict* or reject* or eliminat*)<IN>metadata)

#5   cache and (allocat* or deallocat*)

#6   ((garbage collection) and cache<IN>metadata)

#7   ((((heap* or node* or cluster*) and (increas* or decreas*))<in>metadata)) <AND>
        (((prgrammable or programmed or programed) and (coded cache)
        <IN>metadata))

#8   ((((heap* or node* or cluster*) and (increas* or decreas*))<in>metadata)) <AND>
        (((prgrammable or programmed or programed) and (coded cache)
        <IN>metadata))

#9   ((cache and (evict* or reject* or eliminat*)<IN>metadata)) <AND> (cache and
        (allocat* or deallocat*))

#10   (((((heap* or node* or cluster*) and (increas* or decreas*))<in>metadata))
        <AND> (((prgrammable or programmed or programed) and (coded cache)
        <IN>metadata))) <AND> (((cache and (evict* or reject* or eliminat*)
        <IN>metadata)) <AND> (cache and (allocat* or deallocat*)))

© Copyright 2006 IE

Indexed by
🔲 Inspec°

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	24862551	@ad<"20031010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/05 12:35
L2	11	heap same cache same increas$6 same decreas$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/05 12:35
L3	24862551	@ad<"20031010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/05 12:35
L4	11	heap same cache same increas$6 same decreas$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/05 12:35
L5	5	L3 and L4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/05 12:35
L6	19	heap same cache same dynamic$4 same siz$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/05 12:35
L7	19	heap same cache same dynamic$4 same siz$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/05 12:35
L8	14	L3 and L7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/05 12:35
L9	2	"20030200392".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/05 12:35

L10	17095	heap$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/05 12:35
L11	2	"20030200392".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/05 12:35
L12	17095	heap$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/05 12:35
L13	1	L11 and L12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/05 12:35
L14	5028	garbag$5 near2 collection$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/05 12:35
L15	1476	cache near3 evict$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/05 12:35
L16	121566	allocation or deallocat$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/05 12:35
L17	5028	garbag$5 near2 collection$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/05 12:35
L18	1476	cache near3 evict$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/05 12:35
L19	57	L17 and L18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/05 12:35

EAST Search History

L20	121566	allocation or deallocat$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/05 12:35
L21	57	L17 and L18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/05 12:35
L22	30	L21 and L20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/05 12:35
L23	14	L3 and L7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/05 12:36
L24	30	L21 and L20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/05 12:36
L25	2	L24 and L23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/05 12:43
L26	2	1 and 25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/05 12:43